




TECHNICAL TABLE

DÖNER KONVEKSİYONLU FIRIN - ROTARY CONVECTIN OVEN - FOUR À CONVECTION ROTATIF - КОНВЕКЦИОННАЯ ПЕЧЬ	АТКР 40
Tepsi Ölçüleri - Tray Dimensions (mm) Taille du plateau - Размеры противней (мм)	400x600
Geniçlik - Width (mm) Largeur - Ширина (мм)	1000
Derinlik - Depth (mm) Profondeur - Глубина (мм)	1270
Maksimum Derinlik - Max.Depth (mm) Max.Hauteur - Макс. глубина (мм)	1500
Maksimum Yükseklik- H(mm) - Max.Height Max.Hauteur- H(mm) - Макс. высота (мм)	1100
Tepsi Sayısı - Number of Tray - Nombre de plateaux - Количество противней	5
Pişirme Alanı - Baking Area (m²) Surface De Cuisson - Площадь выпечки (м²)	12
Toplam Elektrik Gücü (kW) - Total Electrical Power - Puissance Electrique Totale (kW)-Общая электрическая мощность (кВт)	11.6
Ağırlığı - Weight - Poids Du Four (kg) - Вес (кг)	190
Elektrik Voltajı - Electric Voltage Tension électrique - Электрическое напряжение	380 V
ELEKTRİKLİ KATLI FIRINLAR - ELECTRIC DECK OVEN - FOUR À SOLE ELECTRIQUE - ЭЛЕКТРИЧЕСКАЯ ПОДОВАЯ ПЕЧЬ КАМЕННЫМ ПОДОМ	
En - Width - Largeur (mm) - Ширина (мм)	1000
Derinlik - Depth - Profondeur (mm) - Глубина (мм)	1200
Yükseklik - Height - Hauteur (mm) - Высота (мм)	380
Pişirme Alanı - Baking Area - Surface de cuisson (m²)- Площадь выпечки (м²)	0.54
Toplam Taş Ölçüleri - Total Stones Dimensions (mm) Dimensions totales de la pierre - Общие размеры камня (мм)	597x925
Fırın İç Geniğiği - Inner Width of Oven (mm) Largeur intérieure du four -Внутренняя ширина печи (мм)	658
Fırın İç Derinliği - Inner Depth of Oven (mm) Profondeur intérieure du four - Внутренняя глубина печи (мм)	995
Fırın İç Yüksekliği/Kat Giriş Yüksekliği (mm) -Inner Height of Oven/Height of Deck Entry (mm) Hauteur intérieure Du Four / Hauteur D'entrée Au Sol (mm) - Внутренняя высота печи , Внутренняя высота камеры (мм)	200/170
Elektrik Gücü - Electrical Power (kW) Electrique Puissance (kW) - Электрическая мощность (кВт)	6 kw
Elektrik Voltajı - Electric Voltage Tension électrique - Электрическое напряжение	380 V
Mayalama Odası - Fermentation Chamber - Chambre De Fermentation - Расстойная камера	
En - Width - Largeur (mm) - Ширина (мм)	1000
Derinlik - Depth - Profondeur (mm) - Глубина (мм)	1240
Yükseklik - Height- Hauteur (mm) - Высота (мм)	765
Tepsi Ölçüleri - Tray Dimensions - Taille du plateau (mm) - Размеры противней (мм)	400x600
Tepsi Sayısı - Number of Tray - Nombre de plateaux (mm) - Количество противней	10
Elektrik Gücü - Electrical Power (kW) Electrique Puissance (kW) - Электрическая мощность (кВт)	2.7
Ağırlığı - Weight - Poids Du Four (kg) - Вес (кг)	120
Elektrik Voltajı - Electric Voltage Tension électrique - Электрическое напряжение	220 V

CHROME TYPE	AISI 304
CABLE TYPE	5X4 NYM CABLE
INSURANCE	32A
RESISTANCE PASTAMATICS DEPARTMENT	14 PCS
RESISTANCE STONE BASE DEPARTMENT	12 PCS

THICKNESS
1mm (OVEN WALLS) - WHOLE MACHINE: 0.8mm-15mm

DIGITAL CONTROL PANEL

EMERGENCY STOP BUTTON

DOOR HANDLE



STONE BASE SECTION


FERMENTATION ROOM


STEAM FAN

REDUCER
0,25 kW / 1500 rpm (4,5rotation)



EVACUATION

CIRCULATION FAN MOTOR
FAN MOTOR: 0,75 kW / 1500 rpm





ELECTRICAL INSTALLATION (COMPACT OVEN+FERMENTATION)	5x4
ELECTRIC POWER (COMPACT OVEN)	11.6
ELECTRICAL INSTALLATION	5x4
ELECTRICAL POWER	6KW
ELECTRICAL POWER	2.7 kW
TOTAL ELECTRICAL POWER	20.3 kW



ATKP 40

