

ALTUNTOP

ALTUNTOP

ROTARY CONVECTION OVEN
DÖNER KONVEKSİYONLU FIRIN

B2B

TECHNICAL TABLE

	ATPD 40	ATPD 50
Tepsi Sayısı- Number of Trays(pcs) Nombre De Plateaux (quntité)-Количество противней (шт)	10	10
Tepsi Ölçüleri - Tray Dimensions (mm) Taille du plateau - Размеры противней (мм)	400x600	530x650 500x700
Genişlik - Width (mm) Largeur - Ширина (мм)	1000	1100
Derinlik - Depth (mm) Profondeur - Глубина (мм)	1270	1415
Maksimum Derinlik - Max.Depth (mm) Max.Hauteur - Макс. глубина (мм)	1500	1635
Yükseklik-Height (mm) Hauteur - Высота (мм)	2060	2060
Maksimum Yükseklik- H(mm) - Max.Height Max.Hauteur- H(mm) - Макс. высота (мм)	2250	2250
Pişirme Alanı - Baking Area (m²) Surface De Cuisson - Площадь выпечки (м²)	2,4	3,5
Min. Tavan Yüksekliği - Min. Ceiling Height (mm) Min. Hauteur du plafond - Мин. высота помещения (мм)	2550	2550
Enerji Kaynakları - Energy Source Source D'énergie - Источники энергии	GAS Diesel Electric / GAZ Dizel Elektrik / ГАЗ Дизель Электрический	
Toplam Elektrik Gücü (kW) - Total Electrical Power Puissance Electrique Totale (kW)-Общая электрическая мощность (кВт)	15 kW	15 kW
Elektrikli Fırınlr İçin Toplam Elektrik Gücü(kw)-Resistance Power for Electric Oven - Consommation Electrique Du Four(kw) - Общая электрическая мощность для электрических печей(кВт)	22.5 kW	26 kW
Gaz Basıncı - Gas Pressure (mbar) Pression du gaz (mbar) - Давление газа (мбар)	21	21
Brülör Modeli - Burner Model Modèle de brûleur -Модель горелки	Riello	Riello
Elektrik Voltajı - Electric Voltage Tension électrique - Электрическое напряжение	380	380
Kontrol Sistemi - Control System Système De Controle - Панель управления	Dijital / Manuel	Dijital / Manuel
Firin Ağırlığı - Weight (kg) Poids(kg) - Вес печи (кг)	372	400
Gaslı fırınlar için mak. genişlik -Max. width for gas ovens Largeur maximale pour les fours à gaz-Максимальная ширина для газовых печей(мм)	1100	1270
Mayalama Odası - Fermentatıon Chamber - Chambre De Fermentation - Расстойная камера		
Genişlik - Width - Largeur (mm) - Ширина (мм)	1000	1100
Derinlik - Depth - Profondeur (mm) - Глубина (мм)	1240	1375
Yükseklik - Height- Hauteur (mm) - Высота (мм)	765	765
Tepsi Ölçüleri - Tray Dimensions - Taille du plateau (mm) - Размеры противней (мм)	400x600	530x650 500x700
Tepsi Sayısı - Number of Tray - Nombre de plateaux (mm) - Количество противней	10	10
Elektrik Gücü - Electrical Power (kW) Electrique Puissance (kW) - Электрическая мощность (кВт)	2.7	2.7
Ağırlığı - Weight - Poids Du Four (kg) - Вес (кг)	120	130
Elektrik Voltajı - Electric Voltage Tension électrique - Электрическое напряжение	220	220

KROM TİPİ	AISI 304	
KABLO TİPİ (GAZLI)	5x2.5	
KABLO TİPİ (ELEKTRİKLİ)	5x4	
SIGORTA (GAZLI)	32A	
SIGORTA (ELEKTRİKLİ)	63A	
MİLİBAR	21-300	
REZİSTANS	ATPD 40 14 ADET	ATPD 50 16 ADET



THICKNESS
1mm (OVEN WALLS) -WHOLE MACHINE: 0.8mm-15mm

DIGITAL CONTROL PANEL

EMERGENCY STOP BUTTON

DOOR HANDLE

FERMENTATION ROOM

REDUCER
0.25 kW / 1500 d/dk (4.5 devir)


CIRCULATION FAN MOTOR
FAN MOTORU: 0,75 kW / 1500 d/dk






STEAM FAN
220 W

MAIN CHIMNEY

EVACUATION





Burner






ELECTRIC CABLE	5x2.5
ELECTRIC POWER (OVEN)	1.7 kW
ELECTRIC POWER (FERMENTATION)	2.7 kW
TOTAL ELECTRICAL POWER	4.4 kW






ATPD 40
(NATURAL GAS)



ELECTRIC CABLE	5x4
ELECTRIC POWER (OVEN)	21 kW
ELECTRIC POWER (FERMENTATION)	2.7 kW
TOTAL ELECTRICAL POWER	23.7 kW

ATPD 40
(ELECTRIC)





ELECTRIC CABLE	5x4
ELECTRIC POWER (OVEN)	21 kW
ELECTRIC POWER (FERMENTATION)	2.7 kW
TOTAL ELECTRICAL POWER	23.7 kW

ATPDE 40