

ALTUNTOP




TECHNICAL INFORMATION

	ATMED	ATGED	ATSED
Dilim Kalınlığı (mm)-Thickness of Slice (mm) Épaisseur De Tranche (mm)-Толщина ломтиков (мм)	9-11-12-14-15-16-18-20		
Bıçak Sayısı-Number of Blades Nombre De Lames-Количество ножей	4-8-12-16-20-24-28-32-36-40		
Genişlik - Width (mm) Largeur - Ширина (мм)	715	820	650
Derinlik-B (mm)-Depth-B (mm) Profondeur-B (mm)-Глубина-B (мм)	950	950	950
Yükseklik-C (mm)-Height-C (mm) Largeur-C (mm)-Высота-C (мм)	1200	1200	1200
Tezgah Yüksekliği (mm)-Counter Height (mm) Hauteur Du Banc (mm)-Высота рабочего стола (мм)	670	670	670
Motor Gücü (kW)-Motor Power (kW) Courant Electrique (kW)-Мощность мотора (кВт)	0,37KW	0,37KW	0,75 kW
Makine Ağırlığı (kg)-Weight (kg) Poids (kg)-Вес (кг)	138	157	145


BREAD SLICER MACHINE

EKMEK DİLİMLEME MAKİNESİ




B2B



ELECTRICAL POWER: 0.37kW






ATMED
TECHNICAL DRAWING



ELECTRICAL POWER: 0.37kW

ATGED
TECHNICAL DRAWING



ELECTRICAL POWER: 0.75kW

ATSED
TECHNICAL DRAWING