







TILTING SPIRAL MIXER

KENDİNDEN DEVİRMELİ MİKSER


B2B

	ATTS160	ATTS240
Un Kapasitesi - Flour Capacity (kg) Capacité De Farine (kg)-Производительность по муке (кг)	100	150
Hamur Kapasitesi - Dough Capacity (kg) Capacité de La Pâte (kg)-Производительность по тесту (кг)	160	240
Genişlik - Width (mm) Largeur - Ширина (мм)	1750	1765
Derinlik - Depth (mm) Profondeur - Глубина (мм)	2020	2050
Yükseklik - Height (mm) Largeur - Высота (мм)	1460	1560
Kazan İç Çapı (mm)-Inner Diameter of Bowl (mm) Diamètre De La Cuve (mm)-Диаметр дежи (мм)	900	1000
Kazan İç Derinliği (mm)-Inner Depth of Bowl (mm) Profondeur De La Cuve (mm)-Глубина дежи (мм)	470	500
Motor Gücü (kW) - Motor Power (kW) Puissance du moteur (kW)-Мощность мотора (кВт)	10.1 kW	13.6 kW
Çalışma Yüksekliği-Working Height (mm) Hauteur De Travail - Рабочая высота (мм)	2710	2930
Ağırlık (kg) - Weight (kg) Poids (kg) - Вес (кг)	1242	1470
Spiral Hızı (dev/dk) Spiral Rotation Speed (rpm) Vitesse de Rotation de la Spirale (vlt/min) Скорость движения спирали (об/мин)	Yavaş (dev/dk) Slow (rpm) Lent (v/min) Медленно (об/мин) Hızlı (dev/dk) Fast (rpm) Rapide (v/min) Быстро (об/мин)	126 232



2 Sacks Flour Capacity
2 Çuval Un Kapasiteli



WATER INLET: 1/2"





ELECTRICAL INPUT: 380V




ATTS160

ELECTRICAL POWER: 8.25 kW


3 Sacks Flour Capacity
3 Çuval Un Kapasiteli





ATTS240



WATER INLET: 1/2"



ELECTRICAL INPUT: 380V



ELECTRICAL POWER: 12.1kW